

Nov 14-1962 Independence County. Fre I home Bros - Sweet before are. "
Operating under name of Rody Point Querry"
Limes time Quarry In you at ion: 3 months Making ag Line Janu Chusher - 32" size goes to Hammer Mill Made our poince with Diesel Corne Unit Q warry A8 ft dub. 100 Hide 150 ft long Love 2 of of line is used Sells ag line to lices + pincles Sec. 14, TIZNRGW Not spending quarry This date -Mond some Eginpment to Rosebut to get out small 26.9 tomage road rock 2414 5,5

· your		THE STATE OF	120		
	h			1	
w Cro	ue .				\$3
W.					
/ Ü		RECORD	OF MINERAL ANALY	YSIS	
T A				Sample No. 2327	7
				Date 9-25-62	
	From: Claren	a Sutto	-	Report to JWC	0.70
	A T UNIT TO THE PARTY OF THE PA	00000	and the same of th	enuntricular de la Control de	
	T a 4 4 a a A a a a m a a a a	ing. Vog No	Eilo Hados		
	Letter Accompany	1101	7,453 99	Twp. 10 S Rge. 30 W	
	Location: County	seven	Sec. De	Twp. 703 Rge. 30 00	
W			<i>Q</i> 1 <i>O</i>	0	
	Mineral Suspected	4	Glass San	ed .	
	Kind of Material		Sand		E 10
	Test Recommended	For: Si	Uz Fezt		
				By: g. W. Cror	reh
# Ta			ANALYSIS		
				(2)	
	Raw S				
	hace J	and _		Washed Sand	
	^	<i>(</i> 1)			
21	.02 8	9.44 %		92.16 %	
Fe	203	0.61		0.27	
Al	02+	9.07			
	other oxide	1.07		7,09	
L	oss on 9gm.	0.88		0.48	
0.55	0	COLORADA TAMENTO		170	907

0/6

Analysis By: 7. Corney

Date Completed: 10-1-62.

emarks:

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF MINES

#### SUMMARY REPORT OF MINERALS EXAMINATION

G. V Doming Silica Sand
State ark County Devier Mineral Products and
Name of property or deposit
Name of property or deposit  Date examined Engineer Date of this report
Reason for examination
Engineer accompanied by Address
Extent of property. You acres
Owner Claverice Sulton Address Ben Lomond-ark
Leased or optioned toAddress
Location of property (be specific) Dec 36 T105R 30W
Preservices of the second seco
Type of deposit and mineralogy (brief description) Quica Pand
Gample Folan
Known dimensions of the deposit  LengthWidthDepth
Attitude of the deposit (strike, dip, etc.) Bluff outcrop roft high
Expressed to math
Possible extensions; correlation of known showings
The work of the way Used
The first of the second of the
Mine workings (brief description or attach map or sketch) (indicate whether accessable)

(over)

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF MINES

StateCounty	Mineral Products
Name of property or deposit	a a a a a a a a a a a a a a a a a a a
Date examined Engineer	Date of this report
Reason for examination	
Engineer accompanied by	
Extent of property Vo a cres	
Extent of property.	Texted on or - last
Owner No. Aperica Car Carp  On Huy 67 No of aith of Treatment	Address
	Y Y
Location of property (be specific) Sec 21-	
	No. 18 and the second s
Type of deposit and mineralogy (brief description)	
movemente du. Lignde St. Thick = 91	out made water
(103/00) 22 EXERTED L. 10 (113/10) 15 .	3. 7. 4. × 50. ± 61. 11. con 60 to (7.5. n).
Known dimensions of the deposit	
	idth Depth
Attitude of the deposit (strike, dip, etc.)	111/10
Possible extensions; correlation of known showings	
Joseph Line will Material pressure and Material Communication of the Com	
Explication and advisor to the first section of	
Mine workings (brief description or attach map or sk	etch) (indicate whether accessable)
	124-1 P40 Outcompension in State
	s predlem ne metron bish a s s e Corpo IIII.
Manager and the second services and the second seco	

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF MINES

r i	ton are
State County Nevada Miner	al Products
Name of property or deposit	
Date examined Engineer W-A. Church	Date of this report
Reason for examination.	
Reason for examination	
Engineer accompanied by Addre	ess
Extent of property.	1-1-J
Owner Rivell Bros - letter 8 months structure  Addressed or optioned to Addressed Addressed or optioned to Addressed Addressed or optioned to Addr	fund Mat
production is overaging about vsoo tens o	re per acre.
Leased or optioned to Addre	
Leased or optioned to Address  Location of property (be specific)  Address  Location of property (be specific)	tans for any (concern)
Shipping approx 100 cars per month.	
Type of deposit and mineralogy (brief description)	
times to several locations in Country.	A Meta
Have I new drag line brekets on job	s a Europe de Parminarion,
Known dimensions of the deposit to steep 1 to load a Length mcket Cap Width	re
Attitude of the deposit (strike, dip, etc.)	Depth
A	
Some Diducte are expressing an 2/2/15	8 8 8 9 9
Possible extensions; correlation of known showings	
Kanada tang di Kasatangan Pilipin dan di Kanada Kanada	
	A TOTAL TO THE PLANT IN
	111 E3 11 Se FERRITE, A
workings (brief description or attach map or sketch)	(indicate whether accessable)
The transfer of the second of	option (Specificant American International Fundamental Conference on F
THE CONTROLLED THE COLUMN THE THE SECOND SEC	
(over)	

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF MINES

### SUMMARY REPORT OF MINERALS EXAMINATION

THE TERM OF THE PARTY OF THE PA

State ark, county Independence Mineral Products of Road 5 tone
Name of property or deposit.  Date examined Engineer W. J. Cronch Date of this report.
Reason for examination
Engineer accompanied by Address
Extent of property
OwnerAddress
Owner Address  Leased or optioned to Freshow Bros Rocky Point Quarry " Address
Location of property (be specific) Sec. 14 T/2NR6W
and the state of t
Type of deposit and mineralogy (brief description) Linestone
THE STATE OF THE S
ignosci or severnes man agress me procedure of me at a factorial representations.
Known dimensions of the deposit  Length 150 H Width 100 H Depth 48 H
Attitude of the deposit (strike, dip, etc.) Hargantal
ag lime Hickness 20 H. Overbuden 25 H
Possible extensions; correlation of known showings
The sould have the agreement and the sould have the sould be a sou
rear businesses (SE 202)
Mine workings (brief description or attach map or sketch) (indicate whether accessable)
Open quarry

(over)

Drull Mining and milling equipment on pro	. 32" Lu	w Prins her Stanners as 11	
Mining and milling equipment on pro	perty.	True nec framma mu	
Dieses Power Plant	The second secon		
Beens spirating 3.	months		
Past production (if any)			
Present rate of production (if any)	t Known	# E2	
Moderate Charles	00		
Sampling (describe briefly, or atta	this date-	- Part of egenpment at	
Rosebad ark			
1,1/		The state of the s	
	tive Estimate o	of Reserves d or after engineering calculation	ns)
Measurable	tons	Grade	
Indicated	tons	Grade	5
Indicated Vin lage	tons	Grade	
Mining method (actual or suggested)		A PROPERTY OF	
Maritin a constant of the			
Andrea - Maria Maria			
Milling or processing method (actua	1970/8-1891	45 Y	
En contra and the state of the			
Processing tests suggested		****	
PROPERTY OF THE PROPERTY OF THE PROPERTY OF			3
Tentative conclusion and decision			
A Carlotte Carlotte and Association		30 W	
To be accompanied by brief letter a deposit, his impression of the owner			
		and reports. May be executed in	

uld be mailed within 24 hours after examination is completed.

Send original and one copy to Washington Office.

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF MINES

Day stone
State Over County Pulaster Mineral Products
Name of property or deposit.
Name of property or deposit
Date examined Engineer Date of this report
Reason for examination
Engineer accompanied by Address
Extent of property 100 acres Rock on this Pine Phit Built timel Co
Extent of property / or acres Rock on the property Sand tomes Co
Leased or optioned to West Lace Co Bridgeton, 2000.
Leased or optioned to Address
Location of property (be specific) Sec 1-T2 NR 14 W
again again and an ann an
Type of deposit and mineralogy (brief description)
THE PROPERTY OF THE PARTY OF TH
Known dimensions of the deposit / alre
LengthWidthDepthDepth
Attitude of the deposit (strike, dip, etc.)
Attitude of the deposit (Strike, dip, etc.)
Possible extensions; correlation of known showings
Mine workings (brief description or attach map or sketch) (indicate whether accessable)
ofpen Quarty opened in 1959 by Pine May Sadogs med Co
I want to be the same of The work to
Power Power
(Oron)

Mining and milling equipment on	property 2000	et priset
not of	erating this dale	- ,
	N.	
Post pre	diction not true	wa .
Present rate of production (if a	any)	
1		
(Subject to revision when a		after engineering calculations)
		Grade
indicated houten of	tons tons	GradeGrade
Maria Ma		The second second
illing of processing method (ac	otual of suggested)	Ferri
Processing tests suggested		
entative conclusion and decision	on	
	12	

Send original and one copy to Washington Office.

Should be mailed within 24 hours after examination is completed.

### UNITED STATES DEPARTMENT OF THE INTERIOR

ong med work at this quarry started in 1952

Tisk B. I. I.	Syout
State Ounty Pulaster	Mineral Products
Name of property or deposit	
Date examined Engineer WJ Crond	Data of this nament
Date examined Engineer	Date of this report.
Reason for examination	1
Engineer accompanied by R.H. Bueschul	Address
Extent of property 100 Clous	
Owner Mrs 7 mues Gibson	Address Sweet Home alla
Owner Ars tymes Gibson  Leased or optioned to Westlake Co. Quarry	Address nor mor morst Lin
Location of property (be specific) Sec. 3171M	R11W
AND TENED OF THE STREET STREET	v v
	Su. 7
Type of deposit and mineralogy (brief description)	Sym ne
Kall, Ladia and a same and a second	** ** ** ** ** ** ** ** ** ** ** ** **
Known dimensions of the deposit	150 H Depth 70 H
Attitude of the deposit (strike, dip, etc.)	
over burden average 10 ft.	
Possible extensions; correlation of known showings	<u> </u>
	at the property of the same
The state of the s	
LIEU USTYCH SÜLGÜNENIN	
Mine workings (brief description or attach map or ske	tch) (indicate whether accessable)
	tch) (indicate whether accessable)
Mine workings (brief description or attach map or ske	tch) (indicate whether accessable)
	tch) (indicate whether accessable)

2 2+ VA C/
Mining and milling equipment on property 22 yt Share
1- Doger - 1 hir confrissor, 2 drills
The second of th
Past production (if any)
grante going to arte jum bout wark.
Present rate of production (if any) approx. daily production 2500 fors
350 over tone by duced to date
Sampling (describe briefly, or attach sketch)
5 man of the man on job - wark 10 hr, day.
contract calls for 40000 tons.
Contract cons pro 400 m 1000.
Tentative Estimate of Reserves
(Subject to revision when assays are received or after engineering calculations)
Measurable tons Grade
Tradicated
Tradicated
Indicated tons Grade  Inferred tons Grade
Tradicated
Indicated tons Grade  Inferred tons Grade  Mining method (actual or suggested)
Indicated tons Grade  Inferred tons Grade  Mining method (actual or suggested)  Milling or processing method (actual or suggested)
Indicated tons Grade  Inferred tons Grade  Mining method (actual or suggested)
Indicated tons Grade  Inferred tons Grade  Mining method (actual or suggested)  Milling or processing method (actual or suggested)
Indicated tons Grade  Inferred tons Grade  Mining method (actual or suggested)  Milling or processing method (actual or suggested)
Indicated tons Grade  Inferred tons Grade  Mining method (actual or suggested)  Milling or processing method (actual or suggested)  Processing tests suggested
Indicated tons Grade  Inferred tons Grade  Mining method (actual or suggested)  Milling or processing method (actual or suggested)  Processing tests suggested  Tentative conclusion and decision
Indicated tons Grade  Inferred tons Grade  Mining method (actual or suggested)  Milling or processing method (actual or suggested)  Processing tests suggested
Indicated
Indicated tons Grade  Inferred tons Grade  Mining method (actual or suggested)  Milling or processing method (actual or suggested)  Processing tests suggested  Tentative conclusion and decision

Should be mailed within 24 hours after examination is completed. Send original and one copy to Washington Office.

oringo structure

## UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF MINES

P: I	Spende
State Ounce County Piclasti	Mineral Products
Name of property or deposit	/
Date examined Engineer W & Come	Date of this report
Reason for examination.  Engineer accompanied by Sacres leaved to	continy
Engineer accompanied by	Address
Extent of property  Owner  Leased or optioned to	ont rait completed of
Extent of property.	WHO WINDER AT BIJELOW
Owner Mrs Thraces Gatson	Address Loud Hone
Mid Continent stone & Const. Co.	Dallas
Leased or optioned to	Address
Location of property (be specific) Sec 31. Ty	MRIIW
Table (See 1	, wil
Type of deposit and mineralogy (brief description	)
Charles and the same of the sa	
County A., and the Colon for the State of the Colon of th	
Known dimensions of the deposit for ft	-150 Lt 1/2 Lt
Length	.Width Depth
Attitude of the deposit (strike, dip, etc.)	
	2 . P
per a per and buttering or discovering a	1(0
Possible extensions; correlation of known showings	
Association of the special sections and the section of the section	
	ID MAR # Was II I I
1091 STEW STEW STEW STEW STEW STEW STEW STEW	
Was and the first of description of all of	Y 1 1 1 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Mine workings (brief description or attach map or	
Open guarry	and the state of t
water in sunder whach	umb installed fort Not
	, are not operating this date
bates in garry - has b	No one at sot

## UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF MINES

### SUMMARY REPORT OF MINERALS EXAMINATION

State ark County Pulaski	Mineral Products
Name of property or deposit	
Date examined by Engineer W T C Long	
Reason for examination	
Engineer accompanied by	Address
Extent of property 130 acres Consolidated Chemical Industrius In	C. J. Rokerman Subt.
Uwner	Address/v
Leased or optioned to	Address for Tay 115
Location of property (be specific) Sec 2 TIN	
ds 8 acres in Sec. 25 TINR 12W	
Type of deposit and mineralogy (brief description).	
Manager Andrews and the second second	× × × × × × × × × × × × × × × × × × ×
	What roll shot spectros
2 open pts Same size 13H ft ap	9 <del>/</del>
Known dimensions of the deposit  Length W	idth Depth Depth
Attitude of the deposit (strike, dip, etc.)	
Plat m sec 4 TIS R12 W	
Possible extensions; correlation of known showings	
over bunden 75 ft.	Mc .
Clay oner bury it & 15 H Thick	
Bauxity 10 H Thick	······································
10 pout the 10 AT THERE	
Mine workings (brief description or attach map or sh	
open oft.	
The state of the s	

(over)

Mining and milling equipment on property	Sont part. Mc Erange Cont Co.
Alas burn: operating 15 years.	wang sa
Past production (if any)	
	6.8
Present rate of production (if any) 25 and for	5 pursus
West protectly go to Ho on towns in	
Sampling (describe briefly, or attach sketch)	
new Film but in 1917 - This wal	menase Godnetion
Tentative Estimate	
(Subject to revision when assays are received	
Measurable tons	Grade
Indicated tons  Inferred tons  Mining method (actual or suggested)	Grade
1000, to trus clay	Grade
Inferred tons tons	Grade
Burstewell onerage 52 to 50 % also	The state of the s
Milling on proceeding wethod (actual or suggested	
Milling or processing method (actual or suggested	10 th L
Processing tests suggested  Act Wated brugits - Sent-lo Mi	10 - Jones all La
Processing tests suggested	Come Tem.
2010 activated bangite - sent-to M.	Johnty Co.
Tentative conclusion and decision	× pres a till krajima til salima
Inplant 2 another - 2 Crushis - I Ho	musulls
magnitic Separations	Modeling from spice till the
To be accompanied by brief letter giving examinated deposit, his impression of the owner, and any oth to submit. Refer to any known prior examinations Should be mailed within 24 hours after examinations.	ng engineer's general impression of the er confidential information he may care and reports. May be executed in pencil.

Send original and one copy to Washington Office.

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF MINES

State County	Palaski	Mineral Prod	ucts
Vate examined Eng	ineer W + Corne	Date of	this report
eason for examination			
ngineer accompanied by	*******	Address	* X0
xtent of property. 400	I L Done G	14.	
wner ased or optioned to	D. D. Jenson	Address	•••••
eased or optioned to	I BMUL CO.	Address	10 MU
17acres Plant ocation of property (be spe	Site Secs TISI	912W	et e
ocation of property (be spe	cific)		
Clay by t	n Sec 97/0 715	X12 W	
ype of deposit and minerals	egy (brief description	n)	EPS TO
			1.36
	1 -60 or 10 gr = 11 -1		of action of participation
nown dimensions of the depo			
ttitude of the deposit (str	ike, dip, etc.)	•••••	
) But and a stay of the grade (in grade)			***************************************
ossible extensions: correla	tion of known showing	79	
ossible extensions; correla	02011 02 11101111 0110112119		CA - CA -
		•••••	
	0.04 0.00	1 × 2 × 1 × 1 × 1 × 1	
a. November des extension		831 8W 8W	
<b>*</b>			
the workings (brief descrip	tion or attach map or	sketch) (indica	te whether accessable)
oper bit	A STATE OF THE STA	1984 S. 1975 Ed N. P. (1984)	£ 16: 10 - 10:00 - 0 =
			r:4-x
1 10 10 10 10 10 10 10 10 10 10 10 10 10	0 4 20 54 75		
	(over)		

Started 9 year ago at Barrite	
Started give upo at Bangite	
	fifte escat ap it are.
ast production (if any) Produce 75000 for year-	
Recover 60 % of pour material.	
resent rate of production (if any) 8 x 140 ft.	tarage bin
Sampling (describe briefly, or attach sketch)	
all material goes to Coffice plants - mexico)	Mø,
Clay is calcined at 2500 90 7	
goisto A spe refractory livings	
(Subject to revision when assays are received or after	engineering calculations)
easurabletons	
Indicated tons	Grade
inferred tons	Grade Grade
nferred tons	Grade
Inferred tons tons dining method (actual or suggested)	Grade
Inferred tons  Mining method (actual or suggested)	Grade
inferred tons tons timing method (actual or suggested)	Grade
Inferred tons Mining method (actual or suggested)	Grade
Inferred tons  Mining method (actual or suggested)  Milling or processing method (actual or suggested)	Grade
Inferred tons  Mining method (actual or suggested)  Milling or processing method (actual or suggested)  Processing tests suggested	Grade
Inferred tons  Mining method (actual or suggested)  Milling or processing method (actual or suggested)  Processing tests suggested	Grade
Inferred tons  Sining method (actual or suggested)  Silling or processing method (actual or suggested)  Processing tests suggested  Centative conclusion and decision	Grade
Inferred tons  Mining method (actual or suggested)  Milling or processing method (actual or suggested)	Grade

to submit. Refer to any known prior examinations and reports. May be executed in pencil. Should be mailed within 24 hours after examination is completed.

THE COMMENSAR

Send original and one copy to Washington Office. Charles (1) of the state of the

## UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF MINES

	Sand stone
State ave County Piner	Mineral Products
The second secon	
Name of property or deposit	
9/18/12	
Date examined Engineer W C In al	Date of this report
Reason for examination	
Engineer accompanied by	Address
Engineer accompanied by	Address
Extent of property	
Owner	Address
Mist. Valley Stragger Const Co	
Leased or optioned to	Address
Location of property (be specific) Sec. 18 THM	
Location of property (be specific)	V 10 M
MARKET A 15 MARK 1 SAIN V	a contract to the second
Type of deposit and mineralogy (brief description	Sandaton atrica
Type of deposit and mineralogy (silet description	I
Anda gapage	
The April 20 Comment of the Comment	
1 Madest 35 Central Court of the Court of th	× 10 0 10 10 10 10 10 10 10 10 10 10 10 1
1 1 A TOTAL	
Known dimensions of the deposit Length	W. 341 30 F
Length	.wiathDepth
Attitude of the deposit (strike, dip, etc.)	
President grands and service filter our effective about the	
Possible extensions; correlation of known showings	J
be by the appropriate of the second	as the second of
	:
fer-freiblio-tel. may a market and a market	8 9 1 8 SERVER SHEET ON
Mine workings (brief description or attach map or	sketch) (indicate whether accessable)
Dain Ghave	= *i = ij/
not oberating this date	
y a stonained time war	

## UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF MINES

#### SUMMARY REPORT OF MINERALS EXAMINATION

Parks	sands tom +
State County Perry	
Name of property or deposit	
Date examined Engineer W Cond	Date of this report
Reason for examination	4
Engineer accompanied by	Address
Extent of property	
Owner Lee nutt  Leased or optioned to Valley Const. Co.	Bigelow,
Owner Mice VAM Coast, Co	Address
Location of property (be specific) Sec. 16-74	NRITU
- 1- 12 9 10 8 1 9 10 8 1 35 0 1 1 10 B	= 1,2,51
Type of deposit and mineralogy (brief description)	teha Sand Stone
A CONTROL OF THE CONT	
Known dimensions of the deposit 150 ff	i en franc's
Attitude of the deposit (strike, dip, etc.)	
thell's consider and est by him was not	rAC
Possible extensions; correlation of known showings	V
TOSSIBLE CAUCHSTONS, COTTOLOGICA OF MICHINGS	
	x x .
Mine workings (brief description or attach map or	sketch) (indicate whether accessable)
	government of the second of th
<u> </u>	

(over)

	1 Loader 15,	ince to j.	C. Au.
Mining and milling equipment on p	roperty		
1-an compressor rock drill	- 3 know bary	£ (	
3 truder -			
Past production (if any)		211 - 2 10	/
contrat 110 or f	ons hove the	are never	<del>/</del>
Present rate of production (if an	y)		
Sampling (describe briefly, or at			
	tative Estimate of Re		
			calculations)
(Subject to revision when as	says are received or	iret engrueetrus	5 ouroura cromb,
Measurable	tons	Gra	ade
Measurable	tons	Gra	adeade
Indicated January	tons tons	Gra Gra Gra	adeade
Measurable	tons tons	Gra Gra Gra	adeade
Indicated January	tons tons tons d)	Gra Gra Gra	adeade
Measurable  Indicated  Inferred  Mining method (actual or suggested	tonstonstonsd)	Gra Gra	adeade
Measurable  Indicated  Inferred  Mining method (actual or suggestee	tonstonstonsd)	Gra Gra	adeade
Measurable  Indicated  Inferred  Mining method (actual or suggested)  Milling or processing method (actual)	tonstonstonsd)	Gra Gra	adeade
Measurable  Indicated  Inferred  Mining method (actual or suggested  Milling or processing method (act	tonstonsd)	Gra Gra	adeade
Indicated  Inferred  Mining method (actual or suggested  Milling or processing method (actual)  Processing tests suggested	tonstonsd)	Gra Gra	adeade
Indicated  Inferred  Mining method (actual or suggested  Milling or processing method (actual)  Processing tests suggested	tonstonsd)	Gra Gra	adeade
Indicated  Inferred  Mining method (actual or suggested  Milling or processing method (actual  Processing tests suggested  Tentative conclusion and decision	tonsd)d)	Gra Gra	adeade
Indicated  Inferred  Mining method (actual or suggested  Milling or processing method (actual  Processing tests suggested  Tentative conclusion and decision	tonstonsd)	Gra Gra	adeade

to submit. Refer to any known prior examinations and reports. May be executed in pencil. Should be mailed within 24 hours after examination is completed.

nd original and one copy to Washington Office.

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF MINES

#### SUMMARY REPORT OF MINERALS EXAMINATION

en de la companya de Companya de la compa

		Car trackers
State	County Yerry	Mineral Products
Name of property or d	leposit	
/2		Date of this report
Date examined	Engineer	Date of this report
Reason for examination	n	2 9 9
Engineer accompanied	by	Address
Owner Taul V	an Dalsem	Address
Leased or optioned to	K aldridge TCO.	Address Andres
Location of property	(be specific) Jec 35 T	INR 16W
T. P. C.		
		KI III
Type of deposit and m	ineralogy (brief description	Jane Line
-300 0- 3000000 0000 00	The same of the sa	· /
NEW COLOR FEE		
proper qui cro	ry 1000 Hlong Jots	inde 38 Hauf
Known dimensions of t	he deposit dip 450 Sort	1 27 Me & VI
The second secon	Length	WidthDepth.
Attitude of the denos	it (strike din etc.)	
randek ran eran e	BEET SELECTE - PERCE	
	correlation of known showing	
	A STATE OF STREET	and of the many sections
- old anava-	- op. A Intukou	
Mine workings (brief	description or attach map or	sketch) (indicate whether accessable)
- 1		CHECKER MANNEY TO THE CONTRACT OF THE CONTRACT
	3126723	

	Cha do		
		Jan Mark Pentruse	Fate Charles
Past production (if any)			
(42)		····	f-
1f 2	A A A		<del>/</del>
Present rate of production (if	any)		<u> </u>
	( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )		
Sampling (describe briefly, or	attach sketch)		
vice in the second seco			
		E	
	entative Estimate of R		
(Subject to revision when			alculations)
Measurable			
Measurable	tons	Grade	
Indicated			
Indicated	tons	Grade	
IndicatedInferred	tons	Grade	
IndicatedInferred	tons	Grade	
IndicatedInferred	tons tons	Grade	
IndicatedInferred	tonstons	Grade	
IndicatedInferred	tonstons	Grade	
IndicatedInferredMining method (actual or sugges	tonstons	Grade	
Indicated	tons	Grade	

Send original and one copy to Washington Office.

## UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF MINES

P	And stone
State County Viria	Mineral Products
Name of property or deposit	
Date examined Engineer W. J. Cond	Date of this report
Reason for examination	
Engineer accompanied by	Address
Extent of property	
Owner	Address
Leased or optioned to	Address
Location of property (be specific) Sec 2, TJ	
Quarry - not open ding	4 U <sub>0</sub>
Type of deposit and mineralogy (brief description)	
Welster Bir and Salar - Alice and the second at	and the state of t
THE SECTION OF THE PROPERTY OF	
Known dimensions of the deposit Length	
Attitude of the deposit (strike, dip, etc.)	Stale 15° depts south
	1000
Possible extensions; correlation of known showings	
The state of the safe the safe in the safe	UC
	* * * * * * * * * * * * * * * * * * *
Wine markings (huiof description on attack are	abatab) (indicate whather access?)
Mine workings (brief description or attach map or	sketch; (indicate whether accessable)
Quarry not operating	and the same of th
The state of the s	

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF MINES

State County Perry	Mineral Products
Name of property or deposit	
Date examined Engineer Engineer	Date of this report
Reason for examination	
Engineer accompanied by	
Extent of property	
Owner Paul Van Dallan Leased or optioned to d Cont next Const. Co.	
Location of property (be specific) 500.36741	
Location of property (be specific)	
Type of deposit and mineralogy (brief description)	e A Q
THE TENNER OF THE TENER OF THE TENNER OF THE TENNER OF THE TENNER OF THE TENNER OF THE	
started	
Known dimensions of the deposit	
Length	idthDepth
Attitude of the deposit (strike, dip, etc.)	
entropia de la compania del compania del compania de la compania del compania del compania de la compania del	* 11 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Possible extensions; correlation of known showings.	
NORTH INCH WILLIAM TO A STATE OF THE STATE O	
Te N	
Service Report Service	
Mine workings (brief description or attach map or s	

	property	
men contract	100 008 40	n S
entropy and the control of the contr		
ampling (describe briefly, or	attach sketch)	
Signification of the state of t	F	
	Tentative Estimate of	Reserves
		r after engineering calculations)
		Grade
ndicated	tons	Grade
nferred	tons	Grade
ining method (actual or sugges	sted)	
Rogan as retitored ac		make and an analysis
illing or processing method (	actual or suggested)	
rands of processing mountains	300aar 01 5aggos 00a/	will be a second
MERKAL DESAULERANDO NO		
rocessing tests suggested		M B on a general control of the cont
ggrad to an anagern		
entative conclusion and decis	ion	
	ion	
entative conclusion and decis		

Send original and one copy to Washington Office.

Sec 35 T 35 R 26 W

And Slate Products Inc.

Glowood Airle.

To move ag Lune

Road material
Chem Lime

Plant copicity 20 Jons for hom

Jan emple . Roles , screens

con vigors - Power vinit

Jeim Coving for -

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF MINES

#### SUMMARY REPORT OF MINERALS EXAMINATION

State ARK County Montgome	Mineral Products
Name of property or deposit.  Date examined Engineer	
Reason for examination	
Engineer accompanied by	Address
Owner Cout Rand-Onachita	That fales t
Leased or optioned to Ark. Slate Product Location of property (be specific). Sec.	Andress lenwood dit
Location of property (be specific)	53 / 35 R 126W
Type of deposit and mineralogy (brief descrip	tion) Limestone in Wemble shale
2 ft malmader to the	Emistone who wast thick.
Known dimensions of the deposit  Length	WidthDepth
Attitude of the deposit (strike, dip, etc.)	
SHEET INFORMATION SEEDING OF THE WHITE IN	1/4
Possible extensions; correlation of known shown	
Chemi puly 515 - 85	circum carbon ate overage
Note = Visited above lication 1/4/63 - Not	operating. out wop lst-dark-shalyappearing
Note = Visited above location 1/4/63 - Not with chlote Vins, face of our notwell Coposed, he	EViduce That plant has been operated, WTC
Mine workings (brief description or attach map	
n in the many ways roll with the wear and beat high	

(over)

Mining and milling equipment on prop	perty Aw Cm	shy Rolle screws
Conveyous - Porver pl		
A CONTRACTOR OF THE PROPERTY OF THE SECOND O		
Alter Book to factorize and a	eness al v	
Past production (if any). There	*****	
Just ready to	stat	**************************************
		fer how
Sampling (describe briefly, or attached Plando make ag han	ch sketch)	+16. 1°
The p merce at my	West Ver	V Calm Almer
part.		- Config.   17, 08,12   1
Tonto	tive Estimate o	f Pasaryas
		l or after engineering calculations)
Measurable	tons	Grade
Indicated	tons	Grade
Inferred	tons	Grade
Mining method (actual or suggested)		
The roof of a discount is		y dagli serie 1990 – Pilot Allendaria (1997)
Milling or processing method (actual	l or suggested)	
Processing tests suggested	***************************************	
Tentative conclusion and decision		The second of th
		THE CALLEY US
deposit, his impression of the owner	r, and any other examinations	g engineer's general impression of the r confidential information he may care and reports. May be executed in pencil. is completed.

Send original and one copy to Washington Office.

Interior—Duplicating Section, Washington, D. C.

#### 1959

### DIRECTORY OF MINING OPERATIONS IN ARKANSAS BY COUNTIES

#### Ashley County County Seat - Hamburg

Product	Location
Gravel	Two miles west of Fountain Hill
<i>F</i>	
Gravel	Crossett Also in Calhoun, Craighead, Poinsett, and St. Francis counties
Gravel	Crossett, Ark.
	Gravel

### Baxter County County Seat - Mountain Home

Name of Operation	Product	Loca tion
GUY KING Open Pit Capacity: No estimate Status: Seasonal	Sand and gravel	Mountain Home
C. E. SHARP Open Pit Capacity: No estimate Status: Seasonal	Sand and gravel	Midway Also in Marion County
GUY KING Quarry in Marion County	Crushed stone Road Material	Mountain Home

Capacity: No estimate Status: Seasonal

Baxter County cont'd

Name of Operation

Product

Location

ABE HEISKELL

Quarry

MATERIALS PRODUCTION COMPANY

Bentonville, Arkansas

Capacity: No estimate

Status: Seasonal

crushed stone

Mountain Home

Bentonville, Ark.

Benton County County Seat - Bentonville

Name of Operation Product Location INDEPENDENT GRAVEL COMPANY Sulphur Springs Ag. limestone Plant: Crusher and Screens Employees: Eight Capacity: One hundred tons per day Status: Seasonal operation OZARK CONSTRUCTION COMPANY Crushed Lst. Also in Washington Fayetteville, Arkansas and Carroll counties PAUL DAVIS Open Pit Capacity: No estimate Status: Seasonal Sand and Gravel Bentonville ERNEY PRECURE Sand and Gravel Lowell Open Pit Capacity: No estimate Status: Seasonal WHITE RIVER SAND AND GRAVEL Sand and Gravel Monte Ne COMP ANY Dredge White River Capacity: No estimate Status: Seasonal

Sand and Gravel

#### Boone County County Seat - Harrison

Product	Location
Crushed limestone Road and Ag.	Harrison
Ag. and Road. Lst.	Harrison, Ark. 2 miles west at Valley Springs
	Crushed limestone Road and Ag.

#### Bradley County County Seat - Warren

Name of Operation	Product	Location
STATE HIGHWAY DEPARTMENT Open Pit Status: Seasonal	Gravel	Hilo on Highway 15
O'NEILL BROTHERS COMPANY Open Pit Washer and Screens Employees: Three Capacity: Twenty-five yards per day Status: Seasonal	Sand and Gravel	Highway 4 - Six miles southeast of Warren
POT LATCH LUMBER COMPANY Open Pit Status: Seasonal	Gravel	Warren, Ark.
L. D. HOLLINGSWORTH open Pit Capacity: No estimate Status: Seasonal	Sand and Gravel	Warren, Ark.
MORO GRAVEL COMPANY Open Pit Capacity: No estimate Status: Seasonal	Gravel	Warren, Ark.
MRS. J. L. MCMURRY Banks, Ark.	Gravel	Banks, Ark.

#### Calhoun County County Seat - Hampton

Name of Operation	Product	Location
W. W. GRANT Open Pit	Sand and Gravel	Hampton
Capacity: No estimate Status: Seasonal		
OUACHITA AGGREGATE COMPANY Open Pit Washer and Screens Status: Seasonal	Gravel Ready mix plant in El Dorado	Eight miles south of Hampton
MORO GRAVEL COMPANY Warren, Ark. Open Pit Washer and Screens	Gravel	Three miles west of Harrell
Employees: Ten Capacity: 500 yards per day Status: Operation steady	100	
REYNOLDS AND WILLIAMS	Sand and Gravel	Calhoun County.

### Carroll County County Seat - Berryville

Little Rock, Ark.

Name of Operation	Product	Location
GARRETT GRAVEL COMPANY Dredge on Kings River Crusher, washer and screens Employees: Four Capacity: one hundred yards per day Status: Steady operation	Sand and Gravel	Highway 62, five miles west of Berryville
Open Pit Crusher, Screens Employees: Nine Capacity: 150 tons per day Status: Temporaty	Crushed limestone Road material	Five miles south of Berryville

### Chicot County County Seat - Lake Village

Name of Operation	Product	Location
LAKE PROVIDENCE DREDGING COMPANY Chas King at Ark. City Dredge on Mississippi River Capacity: No estimate Status: Seasonal	Sand and Gravel	Desha County
TOWNSEND GRAVEL PIT Open Pit Washer and Screens Employees: Five Capacity: One hundred yards per day Status: Seasonal	Gravel	Seven miles north of Lake Village
FORD CONSTRUCTION COMPANY	Sand	Dyersburg, Tenn.
DELTA DREDGING COMPANY	Gravel	Greenville, Miss.

#### Clark County County Seat - Arkadelphia

Name of Operation	Product	Location	
Open Pit Washer and Screens Employees: Six Capacity: 350 yards per day Status: Operation steady	Sand and Gravel	One mile south of Arkadelphia	
AUSTIN FREEMAN	Gravel	Rt. 3 Arkadelphia, Ark.	
ARKADELPHIA SAND AND GRAVEL COMPANY Open Pit Crusher, washer, and Screens Employees: Ten Capacity: 250 yards per day Status: Operation steady	Sand and Gravel	Arkadelphia	

Name of Operation	Product	Location
PAUL AND REED BARRINGER Open Pit Capacity: No estimate	Sand and Gravel	Gurdon
Status: Seasonal		
W. R. BRITT Open Pit Capacity: No estimate Status: Seasonal	Sand and Gravel	Okolona
ARLINGTON WAGGONER Open Pit Capacity: No estimate Status: Seasonal	Sand and Gravel	Amity

#### Clay County County Seat - Piggott

Name of Operation	Product	Location		
CLAUDE BRADFORD Open Pit	Gravel	Six miles north of Rector		
Employees: Two Capacity: One hundred yards per day Status: Seasonal	ă			
E. R. BISHOP Open Pit Employees: One Capacity: Unknown Status: Seasonal	Gravel	Three miles east of Rector		
TAYLOR SAND AND GRAVEL COMPANY Open Pit Dragline loader Employees: Seven Capacity: 450 yards per day Status: Steady operation	Sand and Gravel	Four miles east of Rector		
JEWEL DENISTON	Sand and Gravel	Rt. 1, Rector, Ark.		

	Name of Operation		Proc	luct	Location	
]	Open Pit Capacity: No estimate Status: Seasonal	Sand	and	Gravel	Corning	
]	Open Pit Capacity: No estimate Status: Seasonal	Sand	and	Gravel	Piggott	
•	JESS MCKINNEY Open Pit Capacity: No estimate Status: Seasonal	Sand	and	Gravel	Corning	
V	N. D. PARRISH Open Pit Capacity: No estimate Status: Seasonal	Sand	and	Gravel	Corning	
1	RECTOR SAND AND GRAVEL COMPANY	Sand	and	Gravel	Blytheville, Ark.	

#### Cleveland County County Seat - Rison

Name of Operation	Product	Location
VAN SADLER Open Pit Washer and Screens Employees: Three Capacity: Fifty yards per day Status: Seasonal	Sand and Gravel	Highway 35, five miles north of Rison
N. B. MOODY Open Pit Capacity: Unknown	Gravel	Highway 35, five miles north of Rison

## Columbia County County Seat - Magnolia

Name of Operation	Product	Location
COLUMBIA SAND AND GRAVEL COMPANY	Sand and Gravel	Magnolia
Capacity: No estimate Status: Seasonal		
MRS. JENNIE LOVELL	Gravel	Stamps, Ark.
COLUMBIA COUNTY Open Pit Capacity: No estimate Status: Seasonal	Sand and Gravel	Magnolia
LAMBERT AND BARR Open Pit Capacity: No estimate Status: Seasonal	Sand and Gravel	Waldo Operates in Miller and LaFayette counties

# Conway County County Seat - Morrilton

Name of Operation	Product	Location
J. O. CRAVENS Open Pit Capacity: No estimate Status: Seasonal	Sand and Gravel	Morriaton
MOBLEY CONSTRUCTION COMPANY Open Pit Capacity; No estimate Status: Steady operation	Sand and Gravel	Morrilton Also in Jackson Co.
J. G. STELL	Crushed stone	Springfield, Ark.

Location

# Craighead County County Seat - Jonesboro

Name of Operation

Product

debut to the second second	
Gravel	Three miles north of Brookland
Sand and Gravel	One and one-half miles west of Jonesboro
Gravel	RFD 3 Jonesboro
Gravel	Bano, Ark.
Sand and Gravel	Jonesboro
Clay and Brick	Jonesboro
	Gravel Gravel Sand and Gravel Clay and Brick

# Crawford County County Seat - Van Buren

Name of Operation	Product	Location
JIM BREWER SERVICE AND SUPPLY Quarry Capacity: No estimate Status: Seasonal	Crushed stone Road material	Van Buren, Ark. Rt. 1 Box 117

### Name of Operation

### Product

Location\_

ARKOLA SAND AND GRAVEL COMPANY

Sand and Gravel

Van Buren

Dredge on Arkansas River
Washer and Screens
Employees: Twenty-five
Capacity: 2000 tons per day
Status: Steady operation

## Cross County County Seat - Wynne

Name of Operation	Product	Location
CAST STONE BLOCK AND PIPE COMPANY (Haink Bros.) Open Pit	Sand	Chepry Valley
Capacity: No estimate Status: Seasonal		
SHIRT TAIL GRAVEL COMPANY Open Pit	Sand and Gravel	Wynne
Capacity: No estimate Status: Seasonal		
CROSS COUNTY GRAVEL COMPANY (McGeorge Co.) Open Pit Drag line Employees: Five Capacity: Unknown Status: Seasohal	Gravel	Highway 64, two miles east of Wynne
HUMPHREY AND KAIL GRAVEL COMPANY	Gravel	P.O. Box 235 Earle, Ark.

#### Besha County County Seat - McGehee

#### Name of Operation

Product

Location

GREENVILLE GRAVEL COMPANY

Greenville, Mississippi Dredge, Mississippi River

Capacity: No estimate

Status: Seasonal

Gravel

Desha and Chicot County

Drew County County Seat - Monticello

Name of Operation

Product

Location

O'NEILL BROTHERS SAND AND GRAVEL

COMPANY

Capacity: No estimate

Status: Seasonal

Sand and Gravel

Monticello Pit in Bradley

County

COUNTY JUDGE

Open Pit

Capacity: Unknown Status: Seasonal

Gravel

Lacy, Cloeman, and Wilmar

LINWOOD SMITH

Gravel

Lake Village

Faulkner County County Seat - Conway

Name of Operation

Product

Location

F & F CONCRETE PRODUCTS COMPANY

Open Pit

Capacity: No estimate

Status: Seasonal

Conway

Sand and Gravel Makes concrete blocks; imports

all material

## Franklin County County Seat - Ozark

Name of Operation	Product	Location
ARNOLD STONE COMPANY Quarry Stone Cutter Capacity: No estimate Status: Seasonal	Dimension stone	Charleston
DIXIE STONE COMPANY Fort Smith, Arkansas Quarry Cutter Capacity: No estimate Status: Seasonal	Dimension stone	Franklin County
WHITES CUT STONE Quarry Cutter Capacity: No estimate	Dimension stone	Cecil
Status: Seasonal		
ARNOLD COAL COMPANY Capacity: No estimate Status: Seasonal	Coal	Charleston
OZARK*PHILPOTT MINE (Div. of Utah Const. Co.) Capacity: No estimate Status: Seasonal	Ceal	Ozark
ROBERT THOMPSON COAL MINE Capacity: No estimate Status: Seasonal	Coal	Ozark
VALLEY COAL COMPANY Capacity: No estimate Status: Seasonal	Coal	Ozark

## Fulton County County Seat - Salem

Name of Operation	Product	Location
FRED NEWBERRY Open Pit	Iron	Viola, Arkansas
Log Washer and Screens Employees: Four		
Capacity: Fifty tons per day Status: Seasonal		

Fulton County cont'd

Name of Operation

Product

Iron ore

Location

FRANK WILCOX

Open Pit

Log Washer and Screens

Employees: Five

Capacity: Thirty tons per day Status: Seasonal

Sturkie, Arkansas

Garland Coutny

Sounty Sea	at - Hot Springs	
Name of Operation	Product	Location
MALVERN MINERALS COMPANY  Quarry  Capacity: No estimate  Status: Steady operation	Novaculite (Silica) Sells as Silica sand (novacite)	Hot Springs, Indian Mt.
ARKANSAS ABRASIVES COMPANY Quarry	Crushed stone (Novaculite)	Hot Springs
Quarry Capacity: No estimate Status: Seasonal	Frank Thompson.	
SMITH BROTHERS CONSTRUCTION AND MATERIAL COMPANY Open Pit Capacity: No estimate Status: geasonal	gravel pit at all	Hot Springs
JACKSON WHETSTONE COMPANY Quarry (Helena L. Jackson) Capacity: No estimate Status: Seasonal	Novaculite (Whetsbone)	Hot Springs Box 702 Rt. 2
NORTON PIKE COMPANY Quarry Capacity: No estimate Status: Seasonal	Novaculite (Whetsbone)	Hot Springs
J. A. BAUER	Quartz crystals	Hot Springs

Quarry

Capacity: No estimate Status: Steady operation

CHARLES COLEMAN

Quarry

Capacity: No estimate Status: Steady operation Quartz crystals

Mountain Valley

Owachta Sand & Grove Co. - Hot springs County
Pit I Mile down stream from Rammel dam started 1960
Pea grovel, sand, orusize -

#### Garland County cont'd

Name of Operation

Product

Location

A. G. SLOCUM

Quartz crystals

Hot Springs

Quarry

Capacity: No estimate Status; Seasonal

Novaculite

Abrasive stone and

t. Hot Sprin

grit

Indian Mountain, Hot Springs

FRANK J. THOMPSON

Open Pit

Crusher and Rolls Capacity: Unknown Status: Not operating

Capacity: Unknown
Status: Not operating

Indian Mt. Mining Co 125 shady Grove Rd Hot 5 prings Ack

Arabus product called Thermosia (Silven Products) Use November (Tripoli)

## Grant County County Seat - Sheridan

Name of Operation	Product	Location
W. P. BARNES Open Pit Capacity: Unknown Status: Seasoanl	Gravel	Highway 167, six miles south of Sheridan
H. C. GENTRY Open Pit Capacity: Unknown Status: Seasonal	Gravel	Highway 167, six miles south of Sheridan

## Greene County County Seat - Paragould

Name of Operation	Product	Location
ST. FRANCIS GRAVEL COMPANY Open Pit Washer	Gravel	Marmaduke

Location Name of Operation Product Sand and Gravel ARKANSAS SAND AND GRAVEL Highway 1, five miles south of COMPANY Paragould Open Pit Washer, Crusher, and Screens Employees: Six Capacity: 1000 yards per day Status: Seasonal Sand and Gravel B & S GRAVEL COMPANY Paragould Open Pit Capacity: No estimate Status: Seasonal Sand and Gravel Paragould TED CLINE Open Pit Capacity: No estimate Status: Seasonal Paragould MISSISSIPPI VALLEY CONTRACTING Sand and Gravel COMPANY Open Pit Capacity: No estimate Status: Seasonal SPILLMAN AND SCHUG CONSTRUCTION Sand and Gravel Paragould COMPANY Open Pit Capacity: No estimate Status: Seasonal

> Hempstead County County Seat - Hope

Status: Steady production

Name of Operation	Product	Location
HOPE BRICK COMPANY Brick Kiln Employees: Eighty-five Capacity: 100,000 brick per day	Clay, brick	Hope Also in Quachita County

> Plants

#### Hot Springs County County Seat---Malvern

Product Location Name of Operation Crushed novaculite COOGAN GRAVEL COMPANY Butterfield, Ark. R. R. Ballast Also 811 Lehmann Bldg. Open Quarry Peopla, Ill. Crusher Employees: Seven Capacity: 400 tons per day Steady operation Lignite, montan wax ARKANSAS CHEMICAL COMPANY Sec. 36, five miles but of his mess northeast of Malvern Open Pit Pulverizer Employees: Nineteen Capacity: Fifty tons per day Status: Steady production Malvern, Arkansas MALVERN GRAVEL COMPANY Sand, gravel, crushed novaculite P. O. Box 337 Open Pit and Quarry Crusher, washer, and screens Employees: Thirty-seven Capacity: Novaculite - 1000 tons per day Gravel - 1500 tons per day Sand - 360 tons per day Status: Steady operation Barite Magnet Cove, Arkansas NATIONAL LEAD COMPANY (BAROID DIVISION) Open Pit Crusher, grinding, flotation Employees: 200 Capacity: Unknown Status: Steady operation MAGNET COVE BARIUM CORPORATION Barite Malvern, Magnet Cove Underground Mine and Midl Crushers, Pulverizers, Classifiers, Screens Employees: Mine - 220 Mill - 180 Capacity: 1100 tons per day Status: Steady operation Malvern + Perla ACME BRICK COMPANY Brick, clay

Open Pit

Brick Kiln

Employees: Mine - Ten

Status: Steady operation

Capacity: Unknown

Kiln - 300

Name of Operation

Product

Location

MALVERN BRICK AND TILE COMPANY

Brick, clay

Malvern

Open Pit Brick Kiln

Employees: Mine - Six Kiln - 300

Capacity: 8000 tons clay per year

Status: Steady operation

J. A. BAUER

Magnetite (lodestone)

Magnet Cove

Open Pit

Capacity: No estimate Status: Seasonal

Howard County County Seat - Nashville

Name of Operation

Product

Location

MRS. NINA DILDY

Open Pit

Capacity: No estimate

Status: Seasonal

Sand and Gravel

Nashville Also in Pike

county

IDEAL CEMENT COMPANY

Open Pit

Crushers, Rotary Kiln

Employees: Mine - Twenty-five

Mill - 123

Capacity: 1500 tons per day,

Chalk and Marl.

Status: Steady production

Portland cement

Okay

Independence County
County Seat - Batesville

Name of Operation

Product

Location

GALLOWAY SAND AND GRAVEL

COMPANY

Dredge on White River

Washer, Crusher and Acreens

Employees: Seven

Capacity: One hundred yards per day

Status: Steady operation

Sand and Gravel

Batesville

Independence County cont'd

Status: Seasonal

Product Location Name of Operation Marble Batesville STONE PRODUCTS COMPANY Quarry Employees: Six Capacity: Sixty cubic feet per day Status: Steady operation BATESVILLE MARBLE COMPANY Marble Batesville Quarry Stone cutting mill Employees: Twelve Capacity: 150 cubic feet per day Status: Steady operation BATESVILLE WHITE LIME COMPANY Ag. lime, lime Seven miles north (burned) of Batesville Open Pit \$ 50ld to group in Cleburne Taxas AU 5.7-1912 (FEXAS LIME CO.) Crusher and Kilns Employees: Mine - Twenty-five Mill - One hundred Capacity: No estimate Status: Steady operation WINFRED YOUNG Dimension sandstone Rosie Open Pit Capacity: No estimate Status: Seasonal Dimension sandstone Salado R. VARNELL Open Pit Stone cutter Capacity: No estimate Status: Seasonal Dimension sandstone Rosie ORAN MCBRIDE Open Pit Stone saw Employees: Five Cabacity: Three tons per day Status: Steady operation Batesville BRISTOW STONE QUARRY Dimension sandstone Quarry Cutter Capacity: No estimate Status: Seasonal Salado M. MCFADDEN Dimension sandstone Quarry Cutter Capacity: No estimate

#### Izard County County Seat - Melbourne

Location Name of Operation Product LOVE HOLLOW LIMESTONE COMPANY Love Hollow Limestone Open Quarry Crusher and Screens Employees: Fourteen Capacity: 9000 tons per month Status: Steady operation ARKANSAS LIMESTONE COMPANY Limestone Meyersville Underground mine Crusher Employees: Twenty-eight Capacity: 400,000 tons per year Status: Steady operation WOLFORD MARBLE COMPANY Marble Two and one-half miles south of Quarry Guioh Employees: Six Capacity: Twenty-five cubic feet per day Status: Seasonal NATIONAL SILICA PRODUCTS COMPANY Silica sand Three miles west of Guion Operation in development stage Crushing plant-outcrop silica sand on north bank White River Silica sand Guion SILIGA PRODUCTS COMPANY, INCORPORATED Underground mine Crusher, washer, screens, pulverizer Employees: Mine - Fifteen Mill - Forth Capacity: One hundred tons

Jackson County
County Seat - Newport

per hour Status: Steady operation

	Name of Operation	Product	Location
Dred: Wash	CONSTRUCTION COMPANY ge on White River er and Screens byees: Dredge - Four	Sand and Gravel	Newport
	Plant - Fourteen city: 500 yards per day us: Steady operation		

Hot Spring, and

Independence counties

#### Jefferson County County Seat - Pine Bluff

Name of Operation Location Product Sand and Gravel PINE BLUFF SAND AND GRAVEL Pine Bluff COMP ANY Also in Ouachita Dredge on Ark. River county Washer and Screens Employees: Six Capacity: 1200 tons per day COTTON BELT GRAVEL COMPANY Gravel Pine Bluff Also Rector, Ark. Open Pit Capacity: No estimate Clay county Status: Seasonal SOUTHEAST CONSTRUCTION COMPANY Gravel Pine Bluff Open Pit operates in Logan, Perry and Van Buren Capacity: No estimate Status: Seasonal counties Sand and Gravel GRAVES BROTHERS CONTRACTORS Pine Bluff Open Pit Capacity: No estimate Status: Seasonal MCGEORGE CONTRUCTION COMPANY Sand and Gravel Pine Bluff Also in Randolph, Dredge, Arkansas River Capacity: No estimate Same as Pin Buff Status: Steady operation Sand & S

## Johnson County

Employees: Sixteen Capacity: No estimate

Status: Seasonal

County Seat -	Clarksville	
Name of Operation	Product	Location
Open Pit Brick Plant Employees: Pit - Two Plant - Twelve Capacity: 2500 tons per month Status: Steady operation	Brick clay	Two miles east of Clarksville
PRAIRIE COAL COMPANY Slope Mine	Coal	Six miles southwest of Clarksville

Johnson County cont'd

Name of Operation	Product	Location
ARKANSAS COAL COMPANY Strip Mine Employees: Twentyethree Capacity: No estimate Status: Seasonal	Coal	Four miles north- east of Hartman
CLARKSVILLE COAL COMPANY Slope Mine Employees: Fifteen Capacity: No estimate Status: Seasoanl	Coal	Six miles south- west of Clarksville
KEMP JOHNSON COAL COMPANY Shope Mine Employees: Eighteen Capacity: No estimate Status: Seasonal	Coal	Seven miles south- west of Clarksville
CROOKS-MCFADDEN COAL COMPANY Capacity: No estimate Status: Seasonal	Coal	Clarksville
J. & J. COAL COMPANY Capacity: No estimate Status: Seasonal	Coal	Hunt
ARGUS M. JACOB Capacity: No estimate Status: Seasonal	Coal	Hunt
ROBERT KEITH Capacity: No estimate Status: Seasonal	Coal	Clarksville
JOHN R. ROGERS Capacity: No estimate Status: Seasonal	Coal	Clarksville
TEXAS LEDGESTONE COMPANY Open Quarry Stone cutter Employees? Seventeen Capacity: 300 tons per month	Cut sandstone	Lamar Box 188 Russellville

Also Pulaski, Franklin,

Garland, Van Buren, and

Washington counties

#### Lafayette County County Seat - Lewisville

#### Product Location Name of Operation Stamps Sand and Gravel R. H. DAVIS Also in Howard and Open Pit Capacity: No estimate Miller counties Status: Seasonal MRS. ENNIE F. LOVELL Sand Stamps Open Pit Capacity: No estimate Status: Seasonal Lewisville Gravel GIFFORD HILL COMPANY Dallas, Texas Open Pit Washer and Screens Employees: Thirty Capacity: 1500 tons per day Status: Steady operation

## Lawrence County County Seat - Powhatan (and Walnut Ridge)

Name of Operation	Product	Location
A. J. BALTZ AND SON  Dredge on Black and Spring Rive Washer and screens  Employees: Dredge - Four Plant - Fourteen Capacity: 400 yards per day Status: Steady operation	Sand and Gravel	Black Rock
CROWDER SAND AND GRAVEL COMPANY Dredge, Spring River Capacity: No estimate Status: Seasonal	Sand and Gravel	Black Rock
L. F. PARKER Open Pit Capacity: No estimate Status: Seasonal	Sand and Gravel	Smithvælle
BEN M. HOGAN, PO Box 2860 L. R. Ar Open Pit Crusher, Washer, Screens	k. Limestone Road Material	Four and one-half miles north of Black Rock

Employees: Pit - Eight

Capacity: 175 tons per hour

Pland - Eighteen

#### Lawrence County cont'd

#### Name of Operation

#### Product

#### Location

VERKLER LIMESTONE COMPANY

One Dit

Open Pit Hammer mill, screens

Employees: Six Capacity: No estimate

Status: Steady production

Ag. Limestone

Highway 63, three miles west of Black

Rock

MID-SOUTH LST. BY PRODUCTS INC.

Crushed 1st.

Imboden, Ark.

D. F. JONES CONST. COMPANY (Rector Bldg. Limestone

Open Pit

Little Rock, Ark.)

Crusher, screens Employees: Twelve

Capacity: 1700 yards per day Status: Steady production Two miles southeast of Imboden

Lincoln County County Seat - Star City

#### Name of Operation

#### Product

#### Location

GLOVER BROTHERS

Open Pit Washer and Screens

Employees: Four

Capacity; Twenty-five yards

per day

Status: Seasonal

Sand and Gravel

Star City

Little River Ddunty County Seat - Ashdown

#### Name of Operation

#### Product

#### Location

BRASWELL SAND AND GRAVEL

COMPANY

Dredge on river Washer and Screens

Employees: Twenty-seven Capacity: 2000 tons per day

Status: Steady operation

Sand and Gravel

Wilton, Arkansas Also in Sevier county

### Little River County cont'd

Name of Operation	Product	Location
ARKANSAS CEMENT CORPORATION Open Pit Cement processing plant Status: In process of construction	Cement	Foreman
ARK-LA LIME COMPANY Open Pit Crusher Employees: Five Capacity: 400 tons per day Status: Steady operation	Ag. limestone Buys 1st. from Ark. Cement Corp.	Foreman

### Logan County County Seat - Paris

Name of Operation	Product	Location
JEWEL MINING COMPANY Slope mine Employees: Eighty-five Capacity: No estimate Status: Not operation this date	Coal	One and one-half miles morth of Paris
ALLBURN COAL COMPANY Capacity: No estimate Status: Seasonal	Coal	Paris
A. L. BENZ Capacity: No estimate Status: Seasonal	Coal	Paris
HIXSON COAL COMPANY Capacity: No estimate	Coal	Pari <b>e</b>
Status: Seasonal	Coal	Paris
THAYER COAL COMPANY Capacity: No estimate Status: Seasonal	Coal	Paris
RAINBOW STONE COMPANY Open Quarry Stone cutter Employees: Eighteen Capacity: Twenty-five tons per day Status: Seasonal	Sandstone (Dimension)	Midway

Status: Seasonal

#### Name of Operation Product Location ARKANSAS WILD ROSE STONE Dimension sandstone Highway 22, nine COMPANY miles east of Paris Open Quarry Stone cutter Employees: Ten Capacity: Twenty tons per day Status: Seasonal WURST AND VASSAR Dimension sandstone Highway 22, othree miles Open Pit north of Delaware Stone cutter Employees: Six Cpacity: Eight tons per day Status: Seasonal LOGAN COUNTY BUILDING STONE Dimension sandstone Midway COMPANY Open Quarry Stone cutter Employees: Fifteen Capacity: Twenty tons per day Status: Seasonal SPICER QUARRY Dimension snadstone Scranton Open Quarry Stone cutter Employees: Twelve Capacity: Nineteen tons per day Status: Seasonal SCHWARTZ QUARRIES Dimension sandstone Midway Open Quarry Stone cutter Employees: Fourteen Capacity: Twenty tons per day Status: Seasonal RIVER MOUNTAIN STONE QUARRIES Dimension sandstone Delaware Quarry Cutter Capacity: No estimate Status: Seasonal WHITMAN AND GERARD Dimension sandstone Midway Quarry Capacity: No estimate

#### Lonoke County County Seat - Lonoke

#### Name of Operation

#### Product

Location

ARKANSAS LIGHT WEIGHT AGGREGATE

Clay

Keo

CORPORATION

Open Pit

Rotary Kiln--Crusher, Screens

Employees: Twenty

Capacity: Seven yards per hour

Status: Steady operation

Crushed sandstone

Two and one-half miles south of Cabot Also quarries in Faulkner, Izard, Van Buren, Pulaski, Saline and Yell

FRESHOUR CORPORATION

Sweet Home, Arkansas, PO Box 167

Open Quarry Crusher, Screens Employees: Ten

Capacity: 600 yards per day

Status: Seasonal

Madison County County Seat - Huntsville

Name of Operation

Product

Location

(Joe Gentry) WAR EAGLE LIME

COMPANY

Open Pit

Crusher, Screens Employees: Ten

Capacity: One hundred tons

per day

Status: Steady operation

Ag. limestone

Highway 68, four miles north of Huntsville, Rt. 4

Marion County County Seat - Yellville

Name of Operation

Product

Location

BRADFORD AND HOGAN

Shaft

Development stage

Zinc

Peel

Name of Operation	Product	Location
MCCALEB GRAVEL COMPANY Dredge on Crooked Creek Washer, Screens Employees: Three Capacity: Fifteen yards per day Status: Steady operation	Sand and Gravel	Pyatt
GUY KING	Sand, gravel and crushed stone	Mt. Home, Ark.
KING CONSTRUCTION COMPANY	Sand and Gravel	Yellville, Ark.
KENNETH MCDOWELL	Sand and Gravel	Flippen, Ark.
BARNETT AND GRIFFIN Open Pit Capacity: No estimate Status: Seasonal	Sand and Gravel	Bull Shoals
JEFFERSON GRAVEL PIT Open Pit Capacity: No estimate Status: Seasonal	Sand and Gravel	Yellville
K. D. MCDOWELL Open Pit Capacity: No estimate Status: Seasonal	Sand and Gravel	Flippin
EARL G. PALMETEER Quarry Capacity: No estimate Status: Seasonal	Crushed stone	Yellville
JIM WILSON Quarry Capacity: No estimate Status: Seasonal	Crushed stone	Flippin
RUSH CREEK EXPLORATION  COMPANY  Quarry  Concentrating Mill  Crusher, Screens tables  Capacity: No estimate  Status: Steady operation	Zinc	Yellville, Rush
C. E. SHARP	Crushed stohe	Midway, Ark.

## Miller County County Seat - Texarkana

Name of Operation	Product	Location
LAMBERT AND BARR INC. Box 6 Waldo, Ark.	Grevel	Also Lafayette county
Open Pit Washer, Screens Employees: Fifty-two Capacity: 500 yards per day Status: Steady operation	Sand and Gravel	Seven miles south of Texarkana
W. S. DICKEY CLAY MANUFACTURING COMPANY Open Pit Sewer pipe plant Employees: 200 Capacity: 50,000 tons per year	Clay for Sewer Pipe	Texarkana Also Polk county

## Mississippi County County Seat - Blytheville

Status: Steady operation

	Name of Operation	Product	Location	
A	ARKANSAS GRAVEL COMPANY Open Pit Capacity: No estimate Status: Steady operation	Sand and Gravel See Hughes Const. Company	Blytheville	
F	RECTOR SMND AND GRAVEL COMPANY Open Pit Capacity: No estimate Status: Seasonal	Sand and gravel Gets material from clay county Ready mix plant Blyth	Blytheville neville	
C	CRAIN COMPANY Open Pit Not operation	Sand	Bassett	
S	ARTAIN AND COMPANY  Pumping plant, Mississippi River Sans Souci Landing  Employees: Thirteen  Capacity: 500 yards per day  Status: Steady operation	Gravel	Osceola	

#### Name of Operation

#### Product

Location

MOBLEY CONST. COMPANY

Dredge on White River at Clarendon, Ark.

Sand and Gravel

Morrilton, Ark.

Montgomery County County Seat - Mt. Ida

## Name of Operation

#### Product

#### Location

NATIONAL LEAD COMPANY

Open Pit

Capacity: No estimate Status: Not operation Barite

Fifteen miles west

of Caddo Gap

BIRD AND SON, INCORPORATED

Open Pit

Roofing granule plant Capacity: No estimate Status: Steady production Slate

Highway 8, two miles south of Caddo Gap Washington St. E. Walpole, Mass. and Shreveport, La.

COY DRAIN

Quarry

Capacity: No estimate

Status: Seasonal

Quartz crystals

Mt. Ida

OCUS STANLEY

Quarry Capacity: No estimate

Status: Seasonal

F. H. CRANDALL

Buys from local producers

Quartz crystals

Mt. Ida

Quartz cryatals

Mt. Ida

Nevada County County Seat - Rrescott

Name of Operation

Product

Location

R. W. BUTLER

Open Pit

Capacity: No estimate Status: Seasonal

Gravel

Nine miles east of Prescott, Highway 24

## Nevada County cont'd

Name of Operation	Product	Location
W. E. COTTINGHAM Open Pit Capacity: No estimate Status: Seasonal	Gravel	Nine miles east of Prescott, Highway 24
M. BALLARD Open Pit Capacity: No estimate Status: Seasonal	Gravel	Fourteen miles east of Prescott, Highway 24
HIGNIGHT NURSERY Open Pit Capacity: No eatimate Status: Seasonal	Sand	Prescott

## Ouachita Coutny County Seat - Camden

Name of Operation	Product	Location
PINE BLUFF SAND AND GRAVEL COMPANY Open Pit Washer, Screens Employees: Six Capacity: 600 yards per day Status: Seasonal	Gravel	Three miles south of Bearden
STANDARD GRAVEL COMPANY Dredge on Ouachita River Washer, Screens Employees: Eight Capacity: 280 yards per day Status: Steady operation	Gravel	Camden
HANSON SAND AND GRAVEL CORPORATION	Sand and Gravel	Camden, Ark.
HOPE BRICK WORKS  Hope, Ark. Hempstead county Open Pit Employees: Two Capacity: Ninety yards per day Status: Seasonal	Clay for brick	Chidester
TYREE ROBINSON Open Pit Capacity: No estimate Status: Seasonal	Sand and Gravel	Chidester

of Helena

#### Phillips County County Seat - Helena

Name of Operation Location Product CENTRAL STATES DREDGING COMPANY Sand and Gravel Helena Olayton, Missouri Dredge on Mississippi River Capacity: No estimate Status: Seasonal Gravel Six miles north

PHILLIPS COUNTY Open Pit Employees: Two Capacity: 500 yards per day Status: Seasonal

> Pike County County Seat - Murfreesboro

Product Location Name of Operation GLENWOOD MINERALS COMPANY Glenwood Slate, dust, Open Pit Tripoli Crusher Capacity: No estimate Status: Steady operation HOWARD MILLAR Diamonds Murfreesboro Open Pit Tourist attraction DULIN BAUXITE COMPANY Highland Gypsum, sand and Sweet Home, Ark. gravel Open Pit Crusher, Screens

Employees: Twenty Capacity: 75 tons per day

Status: Seasonal

# Poinsett County Dounty Seat - Harrisburg

W. E. NEWBERRY Open Pit Capacity: No estimate Status: Seasonal  CROWDER CONSTRUCTION COMPANY Open Pit Drag Line Employees: Twenty Capacity: 1000 yards per day Status: Steady operation  W. R. STANBORD Open Pit Drag Line Open Pit Drag Line Highway 14, for miles northeas Harrisburg  Gravel Highway 1, for miles northeas Harrisburg  Highway 1, for miles northeas Harrisburg	
Open Pit Drag Line Employees: Twenty Capacity: 1000 yards per day Status: Steady operation  W. R. STANBORD Open Pit  miles northeas Harrisburg  Miles northeas Harrisburg  Highway 1, for miles northeas	
Open Pit miles northeas	
Capacity: No estimate Status: Seasonal	
ST. FRANCIS MATERIALS  COMPANY  Forrest City, Ark.  Open Pit  Washer, Screens  Employees: Fourteen  Capacity: 500 yards per day  Status: Steady operation	th

## Polk County County Seat - Mena

Name of Operation	Product	Location
RAY JOHNSON  Custom Mill  Washer, Crusher, jigs  Not producing	Manganese	Five miles east of Shady
DUNCAN, DIECKMAN AND DUNCAN Open Pit Washer, jigs, tables Employees: Five Capacity: Ten tons per day Status: Steady operation	Manganese	Shady road, fourteen miles south of Mena

Name of Operation

Product

Location

JOHN MUMEY

Open Pit Wahher, jigs

Capacity: No estimate

Not producint

Manganese

Shady road, thirteen miles south of Mena

Pope County County Seat - Russellville

Name of Operation

Product

Location

P & M COAL MINING COMPANY

Strip mine Moneghan shovel Employees: Sixteen Capacity: 600 tons perday

Status: Seasonal

Coal

Russellville

WADE MASONRY SUPPLY COMPANY

Open Pit

Capacity: No estimate

Status: Seasonal

SAND and GRAVEL

Pottsville

MCALESTER FUEL COMPANY

P. O. Box 783 McAlester, Oklahoma Open Pit

Capacity: No estimate

Status: Seasonal

Shale

MID-CONTINENT STONE AND

CONSTRUCTION COMPANY

Capacity: No estimate

Status: Seasonal

Crushed stone

Russellville

Also in Perry county

MOBLEY CONSTRUCTION COMPANY

Dredge on Arkansas River

Washer, Screens

Employees: Twenty-four Capacity: 200 tons per day Status: Steady operation

Sand and Gravel

Dardanelle

## Pulaski County County Seat - Little Rock

Name of Operation	Product	Location
BIG ROCK STONE AND MATERIAL COMPANY Dredge on Arkansas River Washer, Screens Employees: No estimate Capacity: 360,000 tons per year Status: Steady operation	Sand and Gravel Crushed syenite	Little Rock
DONNA FILL COMPANY Tailing pile Minn. Mining & Mfg. Co. Capacity: No estimate Status: Steady production	Crushed syenite	Little Rock 400 Shall St.
BEN M. HOGAN AND COMPANY Open Pit Capacity: No estimate Statust Seasonal	Rock, sand and Gravel	Pulaski county Yell county Lawrence county Crawford county
D. F. JONES CONSTRUCTION COMPANY Open Pit Capacity: No estimate Status: Seasonal	Sand and gravel Crushed stone	Little Rock
JOHN D. OTT Open Pit Capacity: No estimate Status: Seasonal	Sand and Gravel  n England Highway  1 Males from NFR	North Little Rock gits sand on and Rock bank
CONSOLIDATED CHEMICAL INDUSTRIES INCORPORATED Open Pit Mine Drying plant Employees: Twenty Capacity: Thirty-three tons per Status: Steady operation	Bauxite and clay	Arch Street Pike, Little Rock
MINN. MINING AND MANUFACTURING COMPANY Quarry Crushing plant Roofing granule plant Capacity: No estimate Status: Steady operation	Syenite (Granite)	Little Rock, Ark. Also 900 Bush ave. St. Paul, Minn.

#### Name of Operation

#### Product

Crushed sandstone

#### Location

JEFFRY STONE COMPANY

P. O. Box 812, Ft. Smith, Ark

Quarry

Crusher, Screens

Employeest Quarry - Six

Plant - Twenty-five

Capacity: 1500 tons per day Status: Steady operation

Highway 64, near Levy

#### Randolph County County Seat - Pocahontas

#### Name of Operation

#### Product

#### Location

RAY POINTER

Open Pit

Log washer

Employees: Mine - Two Mill - Five

Capacity: Fifty tons per day

Status: Seasonal

Near Myrtle, Mo. Iron ore

Saline County County Seat - Benton

## Name of Operation

### Product

#### Location

**ALUMINUM COMPANY OF AMERICA** 

Open Pit and underground

mines

Alumina plant

Employees: Mine-175

Plant-750

(mines) - 6000 tons Capacity: per week

Status: Steady operation

NORTON COMPANY

Open Pit Calciving plant

Employees: No estimate Status: Stand-by basis Bauxite

Bauxite

Bauxite

Bauxite

balline ouncy cont a		) •
Name of Operation	Product	Location
DICKINSON AND MCGEORGE  Open Pit Employees: No estimate Capacity: No estimate Status: Seasonal  REYNOLDS MINING COMPANY	Bauxite furings	Bauxite
REYNOLDS MINING COMPANY Open Pit and underground mines Alumina plant Employeesi No estimate Capacity: No estimate Status: Steady operation	Bauxite	Bauxite
AMERICAN CYANAMID COMPANY Open Pit Drying plant Employees: Mine - Five Plant - Twenty Capacity: 500 tons per day Status: Steady operation	Bauxite	Bauxite
A. P. GREEN BRICK COMPANY Open Pit Dryint plant Employees: Fifteen Capacity: No estimate Status: Steady operation	Clay	Bauxite
MILWHITE COMPANY, INCORPORATED  Open Pit  Grinding plant  Employees: Mine - Five  Mill - Seven  Capacity: 25,000 tons per year  Status: Steady operation	Soapstone, shala	Bryant
GENERAL MILLS, INCORPORATED  (Chemical Division)  South Kensington Road  Kaukakee, Illinois  Open Pit  Capacity: No estimate  Status: Seasonal  Starting in 1960	Clay (Bentonite)	Saline county
NEWCOMB AND WEST CONSTRUCTION COMPANY Open Pit Capacity: No estimate Status: Seasonal	Sand and Gravel	Benton

Saline County cont'd

Name of Operation

out of but it is Production

Location

MRS. KENNETH PELTON

Benton

Open Pit

Capacity: No estimate Status: Seasonal

MRS. DAISY NALLEY

NWY SECZTES RICH

Rt. w. Box 138

Benton

STANLEY INDUSTRIES

Open Pit
Capacity: No estimate putting
Status: Seasonal

Sand and Gravel

Benton

BERNARD HOLLAND

Open Pit

Capacity: No estimate Status: Seasonal

Sand and Gravel

124 Raspberry

Wayne Kour

Sold topland Conton and 3 acre quel pit met net sec 3 cray gamed Track RISW

Searcy County County Seat - Marshall

Name of Operation

Product

Location

OZARK LEAD AND ZINC COMPANY

Underground Mine Jigs and tables Beginning operation Zinc

Maumee

REYNOLDS AND WILLIAMS

P. O. Box 1207

Little Rock, Arkansas

Quarry

Capacity: No estimate Status: Seasonal

Crushed stone

Searcy County

Also Marion County and

Conway County

Sebastian County County Seat - Fort Smith

Name of Operation

Product

Location

FRAZIER-EXCELSIOR COAL COMPANY

Capacity: No estimate

Status: Seasonal

Coal

Hackett

Name of Operation	Product	Location
J. E. MASSEY	Sand and Gravel	Box 202 Ft. Smith
LOVE COAL COMPANY Capacity: No estimate Status: Seasonal	Coal	Hackett
ROHRER FUEL COMPANY Capacity: No estimate Status: Seasonal	Coal	Huntington
DIXIE CONSTRUCTION COMPANY Capacity: No estimate Status: Seasonal	Coal	Fort Smith
PEERLESS COAL COMPANY Slope Mine Employees: 167 Capacity: 70,000 tons per year Status: Seasonal	Coal	Hackett
QUALITY EXCELSIOR COAL COMPANY  Slope Mine Employees: 143 Capacity: 100,000 tons per year Status: Seasonal	Coal	Greenwood
F. S. NEELY COMPANY Open Pit Employees: Twelve Capacity: 300 tons per day Status: Seasonal	Coal	Huntington
ED BRENNAN  Open Pit Employees: Four Capacity: Twenty-five tons per day Status: Seasonal	Coal	Huntington
RESCOLITE COMPANY  Open Pit Crusher, Rotary kiln Employees: Mine - Two Mill - Seven Capacity: No estimate Status: Steady operation	Shale (light weight aggregate)	Ft. Smith P. O. Box 540

Name of Operation	Product	Location
ACME BRICK COMPANY Open Pit Brick plant Capacity: No estimate Status: Steady operation	Shale, brick	Fort Smith, Ark. Also P. O. Box 425, Ft. Worth, Texas
ARKHOLA SAND AND GRAVEL COMPANY Open Pit Capacity: No estimate Status: Steady operation	Sand and Gravel	Fort Smith Also operates in Crawford county
DIXIE CONSTRUCTION COMPANY Open Pit Capacity: No estimate Status: Seasonal	Stone (crushed)	Fort Smith, P. O. Box 844 Quarries in Johnson and Logan counties

## Stone County County Seat - Mt. View

Name of Operation	Product	Location
W. E. LOONEY Open Pit Stone cuttee Capacity: No estimate Status: Seasonal	Dimension sandstone	Mt. View
M. MCFADDEN Open Pit Stone cutter Employees: Three Capacity: Six tons per day Status: Seasonal	Dimensioh sandstone	Highway 14, six miles east of Mt. View
C. B. APPLE Open Pit Stone cutter Not operating Status: Seasonal	Dimension sandstone	Highway 14, six miles east of Mt. View
RALPH RORIE Open Pit Stone cutter Employees: Three Capacity: Two tons per day Status: Seasonal	Dimension sandstone	Highway 14, six miles east of Mt. View

#### St. Francis County County Seat - Forrest City

Name of Operation	Product	Location
Open Pit Washer, Screens Capacity? 800 yards per day Status: Seasonal	Sand and Gravel	Forrest City
Open Pit Drag line, washer, screens Employees: Ten Capacity: 1000 yards per day Status: Seasonal	Sand and Gravel	Highway 1, two miles north of Caldwell
T. W. COLE Open Pit Capacity: No estimate Status: Seasonal	Sand and Gravel	Widener

#### Union County County Seat - El Dorado

Name of Operation	Product	Location
EL DORADO BRICK COMPANY Open Pit Brick plant Capacity: No estimate	Clay, brick	El Dorado
Status: Steady operation  JOE PEARCE	Gravel	Rt. 1 Hampton

Van Buren County

County Seat - Clinton SEE Searcy County

Name of Operation	Product	Location
MERLE OWEN Open Pit Development stage	Phosphate rock	Five miles east of Leslie, Highway 65 Searcy County

#### Washington County County Seat - Fayetteville

Name of Operation

Product

Location

MCCLINTON BROTHERS COMPANY

Box 749, Fayetteville, Ark.

Underground mine Crusher, Screens

Employees: Mine - Five Mill - Eleven

Capacity: 600 tons per day Status: Steady operation Ag. lime, crushed limestone

Johnson

OZARK CONSTRUCTION COMPANY

Quarry

Capacity: No estimate Status: Seasonal

Crushed stone

Fayetteville

White County County Seat - Searcy

Name of Operation

Product

Location

ROSEBUD STONE COMPANY

Quarry

Capacity: No estimate

Status: Seasonal

Dimension stone

Rosebud

ACME MATERIAL COMPANY

Open Pit

Washer, Screens

Employees: Mine - Thirteen

Mill - Twenty-four

Capacity: 1500 tons per day Status: Steady operation Crushed sandstone

Bald Knob

Woodruff County County Seat - Augusta

Name of Operation

Product

Location

RIVER SAND AND GRAVEL COMPANY

Dredge on White River Capacity: No estimate Sand and Gravel

Augusta

DWIGHT FRESHOUR

Gravel

Sweet Home, Ark. Also in Montgomery Co. Woodruff County cont'd.

Name of Operation

Gravel

Location

FRESHOUR CORPORATION

Sweet Home

Product

Yell, Clark Co.

FRESHOUR CORPORATION

Crushed stone

Sweet Home, Ark. Pike, White, Perry Van Buren, and Franklin

counties